

Trove2DM2

Access and Power Integration Solution for DMP



Altronix Trove™ enclosures let you easily integrate Altronix power and accessory boards with DMP (1) 714-8PCB or 714-16PCB, (1) XR150 or XR550, 734 Wiegand Modules. Trove simplifies board layout and wire management, reduces installation time and labor costs.



Trove2DM2

* Boards not included



Trove2 Enclosure + TDM2 Backplane Features

- Accommodates up to (16) DMP 734 and 734N Wiegand modules with or without Altronix power/accessories.
 - Altronix Power Supplies and Sub-Assemblies
- Includes Altronix Trove2 Enclosure and one (1) removable TDM2 backplane

Agency Listings

UL:

UL294 - Access Control System.

cUL:

CAN/ULC - s319-05 - Electronic Access Control Systems.

CE

European Conformity.

Features:

- Simplifies board layout and wire management
- Convenient knockout configuration:
 - One (1) single knockout 2.415" (2" Conduit).
 - Sixteen (16) double knockouts 1.362" (1" Conduit) / 1.115" (3/4" Conduit).
- Accommodates up to four (4) 12VDC/7AH batteries
- 16 AWG powder coated steel
- Includes cam lock, tamper switch and mounting hardware.

Dimensions (H x W x D):

27.25" x 21.5" x 6.5" (692.2mm x 546.1mm x 165.1mm)

Weights:

Product - 37.1 lb. (16.83 kg)
Shipping - 40.85 lb. (18.53 kg)

TDM2 Backplane Features

- Accommodates up to (16) DMP 734 and 734N Wiegand modules with or without Altronix power/accessories.
 - Altronix Power Supplies and Sub-Assemblies

Backplane features:

- Simplifies board layout and wire management
- 16 AWG galvanized steel

Dimensions (H x W x D):

25.375" x 19.375" x 0.3125" (644.5mm x 492.1mm x 8mm)

Weights:

Product - 8.0 lb. (3.63 kg)
Shipping - 10.0 lb. (4.53 kg)

TDMD2 Door Backplane Features

- Accommodates the following DMP modules:
 - XR150, XR550, 714-8, 714-16
- Door Backplane features:
 - Simplifies board layout and wire management
 - 16 AWG galvanized steel

Dimensions (H x W x D):

23.75" x 18.125" x 0.3125" (603.3mm x 460mm x 8mm)

Weights:

Product - 8.0 lb. (3.63 kg)
Shipping - 10.0 lb. (4.53 kg)

Trove2DM2


Access and Power Integration Solution for DMP



Access Controller Position Chart for the Following Models:

Altronix / DMP	Pem Mounting
AL400ULXB2, AL400ULXB2V, AL600ULXB, AL600XB220, AL1012ULXB, AL1012XB220, AL1024ULXB2, AL1024XB2V, eFlow4NB, eFlow4NBV, eFlow6NB, eFlow6NBV, eFlow102NB, eFlow102NBV, eFlow104NB, eFlow104NBV, Tango1B, ACM8, ACM8CB, ACMS8, ACMS8CB, LINQ8ACM, LINQ8ACMCB	(A)
ACM4, ACM4CB, LINQ8PD, LINQ8PDCB, MOM5, PD4UL, PD4ULCB, PD8UL, PD8ULCB, PDS8, PDS8CB, VR6	(B)
DMP 734 Wiegand Modules	(C)
DMP XR150, XR550	(D)
DMP 714-8, 714-16	(E)

TDMD2 Door Backplane (Order Separately)



Trove2DM2

Access and Power Integration Solution for DMP

